

Aminoethylpiperazine (AEP)

2-piperazin-1-ylethanamine

Aminoethylpiperazine (AEP) is an ethylene amine with unique molecular structure, as it contains a primary, secondary and tertiary amine. It is colorless with a broad liquid range, making it a suitable raw material for a large variety of applications including corrosion inhibitors, urethane catalysts and epoxy hardeners.

CAS number 140-31-8

Molecular weight 129.2

EINECS/ELINCS No. 205-411-0

Molecular formula C6H15N3

Specifications

Appearance (MOA 200)	Clear liquid
Assay (MOA 564)	≥ 98.0 wt%
Color (MOA 201)	≤ 50 Hazen
Water (MOA 305)	≤ 0.5 wt%

Characteristics

Form	Viscous liquid
Color	Colorless
Odor	Ammonical
Water solubility	Completely
Solubility in other solvents	Ethanol
pH, 1% solution	12
Melting point/freezing point, 1013 hPa	-19 ℃
Boiling point/boiling range, 1013 hPa	220.4 °C
Flash point, 1013 hPa, ASTM D 93	99 ℃
Ignition temperature	> 300 °C
Vapor pressure, 20°C	0.015 hPa
Relative vapor density, air = 1.0	4.5
Density, 20°C	984 kg/m³
Relative density, 20°C	0.980
Partition coefficient, N-octanol/water, 20°C, log Pow	-1.48
Dynamic viscosity, 20°C	14.1 mPa.s

Notes:

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

Contact Us

GLOBAL

infoethy@nouryon.com

