

Berol SurfBoost AD2M

Berol SurfBoost AD2M is an N,N-dimethyl amide with excellent solubilizing properties to boost cleaning

Specifications

Acid value	≤ 8 mg KOH/g
Appearance	Clear liquid at 20°C
Color	≤ 2 Gardner
Dimethyl amine	≤ 0.1 %
Water content	≤ 0.3 %

Characteristics

Clear point	-1℃
Density	880 kg/m³ at 20°C
Flash point	140-150°C
Foam Height according to Ross-Miles	50° C, 0,05%, immediately:0 mm, after 5 min:0 mm, 25°C, 0,05%, immediately:15 mm, after 5 min:0 mm
Pour point	-4 °C
Surface Tension according to Du Noüy, 25°C, 0.1% DIN 53914	26 mN/m
Viscosity	≤50 cps at 25°C (Spindle 2, rpm 100)
Wetting power according to Draves, 25°C, 0.1%	7-8 sec
Solubility: Butyl diglycol	Soluble
Solubility: Ethanol	Soluble
Solubility: Isopropyl alcohol	Soluble
Solubility: Mineral oil	Soluble
Solubility: Propylene glycol	Soluble
Solubility: Vegetable oil	Soluble
Solubility: Water	Insoluble

Notes

 $Typical\ Data\ are\ based\ on\ our\ own\ measurements\ or\ derived\ from\ the\ literature.\ They\ do\ not\ constitute\ part\ of\ the\ delivery\ specification.$

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

BEROL is a registered trademark in many countries.

Contact Us

USA and Canada

Global Headquarters
Chicago
USA
+1 312 544 7000
ansc-cs@nourvon.com

China

Regional Headquarters Shanghai China +86 21 2220 5000 surfactants.asia@nouryon.com

Europe

Regional Headquarters
Stenungsund
Sweden
+46 303 850 00
surfactants.europe@nouryon.com

South East Asia

Regional Headquarters
Singapore
+65 6635 5183
surfactants.asia@nouryon.com

South America

Regional Sales Office Itupeva Brazil +55 11 4591 8938

