

Armid FMPC

A solvent blend based on a morpholine derivative

Specifications

Appearance	Clear liquid
Color	≤ 1 Gardner
Water content	≤ 0.3 %

Characteristics

Density	1,161 g/ml
Flash point	122°C
Freezing point	≤ -5 °C
Vapor pressure	0.06 mmHg at 25°C
Viscosity	5,2 mPa.s at 20°C
Solubility: Ethanol	Soluble
Solubility: Isopropanol	Soluble
Solubility: Mineral oil	Soluble
Solubility: Propylene glycol	Soluble
Solubility: Vegetable oil	Soluble
Solubility: Water	Soluble
Solubility: Xylene	Soluble

Notes:

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

Storage

If the product is stored below -5°C and has crystalized, it must be heated up to 18°C to be homogenous and ready for use.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

ARMID is a registered trademark in many countries.

Contact Us

USA and Canada

Global Headquarters
Chicago
USA
+1 312 544 7000
ansc-cs@nouryon.com

China

Regional Headquarters
Shanghai
China
+86 21 2220 5000
surfactants.asia@nouryon.com

Europe

Regional Headquarters
Stenungsund
Sweden
+46 303 850 00
surfactants.europe@nouryon.com

South East Asia

Regional Headquarters
Singapore
+65 6635 5183
surfactants.asia@nouryon.com

South America

Regional Sales Office
Itupeva
Brazil
+55 11 4591 8938

Nouryon