

Versaflex RO9110

Partially neutralized sodium salt of a homopolymer polyacrylic acid, use as scale inhibitor & dispersant

Specifications

pH	3-4
Solid content	34-36 %

Notes:

Versaflex RO 9110 is a colorless to straw colored liquid having a specific gravity of 1.16. Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

Applications

Calcium carbonate scale, controls scale in waters with LSI of up to ~2.8. Prevents calcium sulfate scaling. Calcium Sulfate scale, controls scalen in water with SI from 5.9 - 6.1. Indcution time of up to 150 minutes. Delays precipitation up to twice as long as competitive products. Prevents calcium carbonate scaling.

Safety and handling

Versaflex RO 9110 meets the requirements of 21 CFR 173.310 for use in boilers if fully neutralized with sodium hydroxide. It also meets the requirements of 21 CFR 176.110 and 176.180.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

VERSAFLEX is a registered trademark in many countries.

Contact Us

USA and Canada

Global Headquarters
Chicago
USA
+1 312 544 7000
ansc-cs@nouryon.com

China

Regional Headquarters
Shanghai
China
+86 21 2220 5000
surfactants.asia@nouryon.com

Europe

Regional Headquarters
Stenungsund
Sweden
+46 303 850 00
surfactants.europe@nouryon.com

South East Asia

Regional Headquarters
Singapore
+65 6635 5183
surfactants.asia@nouryon.com

South America

Regional Sales Office
Itupeva
Brazil
+55 11 4591 8938

The Nouryon logo consists of a stylized orange 'N' followed by the word 'ouryon' in a lowercase, sans-serif font, all in orange.